



# micropills



## IS MICROPILLS A COMPLETE FOOD? CAN BE GIVE TO THE BIRDS AS SINGLE FEED?

Yes, Micropills is a complete and balanced food to be used as a "unifeed".

It is however advisable to integrate the product with fresh fruits and vegetables and with a good percentage of grains. For parrots; grinding seeds, berries is not just a way to feed themselves but also a pastime. Have seeds to peel, acts on the parrot psyche giving them positively effects on general well-being of the animal.

It is advisable to vary the amount of Micropills depending on the seasons and subjects according to below tablets' indications.

Percentages, to achieve excellent results with subjects, are with a daily "dry" ration that provides Micropills from a minimum of 40% to 100%.

It is always advisable to give daily fresh fruit and vegetables depending on the seasons: abundant in the hot ones and reducing them to the cold ones. In cold seasons it is advisable to reduce even 75% less fresh products so that everything is consumed without becoming too cold creating possible problems with digestion.

## WHAT ARE THE ADVANTAGES OF MICROPILLS' PELLETS?

**NO WASTE:** consistency (pastiness) and dimensions have been studied and tested to consume whole product without wasting it or losing on the bottom of the cages. Micropills is completely taken in the beak and consumed in its entirety making it rotate with the tongue. Usually mixtures were discarded for a twenty percent of the weight given by the skins (variable data depending on the mixture and the subject); we can say that Micropills feed 20% more respect mixtures. It cancel or reduce the waste of common extruded products where lost or throw product is up to 60% on the bottom of the cages.

**HIGH PALABILITY:** that allows change on feeding in a few days. Common extruded products, usually based on "corn meal", not particularly appetites, require an accustoming work of the subjects need months. Their final goal is the big mistake to reduce intake of protein and fats using elements (meals) birds don't eat in nature. After a short time, our pellets are preferred and also chosen from the walnuts and hazelnuts contained in the mixtures because fructose based...(what they eat in nature).

**ACCORDING TO NATURE::** Micropills pellets are based on fructose, loved by all subjects and the main source of carbohydrates. Fructose is 100% carbohydrates.

**NUTRITIONAL BALANCING:** pellets guarantees a constant and balanced intake of proteins and fats. Eating seeds mixtures, proteins and fats' percentages are always altered because birds choose more palability seeds too rich and too fat, leaving out others seeds with necessary nutrients.

**MODULABILITY:** of the different pellets that, as indicated in the table below, allow the breeder to increase or decrease the nutritional intake depending on the periods of the year and the different needs of the subjects; ensuring a perfect and targeted nutrition.

## FEEDING CHART

LARGE SIZE MACAW				
<i>Anodorhynchus Hyacinthinus</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
<i>Ara Ararauna</i>	february / march	april / may / june	july / august / september	october / november / december / january
<i>Ara Chloroptera</i>	60% Micropills	70% Micropills	60% Micropills	60% Micropills
<i>Ara Macao</i>	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance
<i>Ara Glaucoocularis</i>	30% Grain MIX	20% Grain MIX	40% Grain MIX	30% Grain MIX
<i>Ara Ambigua</i>				
<i>Ara Militaris</i>	10% Germinated grains MIX	10% Boiled legumes MIX		10% Boiled legumes MIX
<i>Ara Rubrogenys</i>				
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)				
GRAIN MIX: 30% striped sunflower seeds, 25% white sunflower seeds, 10% buchwheat, 9% hulled oats, 8% hemp seeds, 8% safflower, 2% pumpkin seeds, 2% kernel walnuts, 2% shelled peanuts, 2% broken carobs, 1% juniper berries, 1% whole chili pepper.				
GERMINATED SEEDS' MIX: 15% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 15% red beans, 10% cannellini beans				
BOILED LEGUMES' MIX: 15% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 15% maran mais, 10% wheat				

Small size MACAW AND BIG SIZE CONURES				
<i>Orthopsittaca Manilata</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
<i>Primolius Couloni</i>				
<i>Primolius Maracana</i>	february / march	april / may / june	july / august / september	october / november / december / january
<i>Primolius Auricollis</i>	30% Micropills	40% Micropills	20% Micropills	40% Micropills
<i>Diopsittaca Nobilis</i>	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance
<i>Guaruba Guarouba</i>	20% Micropills	30% Micropills	20% Micropills	20% Micropills
<i>Cyanoliseus Patagonus</i>	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance
<i>Rhynchopsitta Pachyrhynch</i>	10% Micropills	20% Grain MIX	20% Micropills	30% Grain MIX
<i>Rhynchopsitta Terrisi</i>	AMAZZONI Adult Maintenance		PARROCCHETTI Adult Maintenance	
<i>Psittacara Mitratus</i>	30% Grain MIX	10% Boiled legumes MIX	40% Grain MIX	10% Boiled legumes MIX
<i>Psittacara Wagleri</i>	10% Germinated grains MIX			
<i>Psittacara Erythrogenys</i>				
<i>Thectocercus Acuticaudatus</i>	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)				
GRAIN MIX: 20% striped sunflower seeds, 16% canary seeds, 15% white sunflower seeds, 10% buchwheat, 8% hulled oats, 8% safflower, 8% hemp seeds, 8% white millet, 2% pumpkin seeds, 1% kernel walnuts, 1% shelled peanuts, 1% broken carobs, 1% juniper berries, 1% whole chili pepper.				
GERMINATED SEEDS' MIX: 20% green soya, 20% red soya, 20% small striped sunflower seeds, 20% red beans, 20% cannellini beans				
BOILED LEGUMES' MIX: 20% cannellini beans, 20% red beans, 15% peas, 15% maran mais, 15% wheat, 15% lentils				
MEDIUM / SMALL SIZE CONURES				
<i>Generi Aratinga</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
<i>Pyrrhura ed Eupsittacula</i>				
	february / march	april / may / june	july / august / september	october / november / december / january
	10% Micropills	20% Micropills	10% Micropills	20% Micropills
	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance	ARA Adult Maintenance
	10% Micropills	20% Micropills	20% Micropills	20% Micropills
	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance
	20% Micropills	10% Micropills	20% Micropills	10% Micropills
	AMAZZONI Adult Maintenance	AMAZZONI Adult Maintenance	PARROCCHETTI Adult Maintenance	PARROCCHETTI Adult Maintenance
	10% Micropills	10% Micropills	50% Grain MIX	40% Grain MIX
	PARROCCHETTI Adult Maintenance	PARROCCHETTI Adult Maintenance		
	40% Grain MIX	30% Grain MIX		10% Boiled legumes MIX
	10% Germinated grains MIX	10% Boiled legumes MIX		
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)				
GRAIN MIX: 30% canary seeds, 30% white millet, 10% striped sunflower seeds, 7% white sunflower seeds, 6% buchwheat, 6% safflower, 5% hemp seeds, 5% hulled oats, 1% whole chili pepper.				
GERMINATED SEEDS' MIX: 20% green soya, 20% red soya, 20% small striped sunflower seeds, 20% red beans, 20% cannellini beans				
BOILED LEGUMES' MIX: 20% cannellini beans, 20% red beans, 15% peas, 15% maran mais, 15% wheat, 15% lentils				
AMAZON				
<i>Genere amazona</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
<i>Eclectus</i>				
<i>Alipiopsitta</i>	february / march	april / may / june	july / august / september	october / november / december / january
	60% Micropills	70% Micropills	60% Micropills	60% Micropills
	AMAZZONI Adult Maintenance	AMAZZONI Adult Maintenance	AMAZZONI Adult Maintenance	AMAZZONI Adult Maintenance
	30% Grain MIX	20% Grain MIX	40% Grain MIX	30% Grain MIX
	10% Germinated grains MIX	10% Boiled legumes MIX		10% Boiled legumes MIX
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)				
GRAIN MIX: 20% striped sunflower seeds, 15% white sunflower seeds, 15% canary seeds, 15% white millet, 9% hulled oats, 9% buchwheat, 8% safflower, 6% hemp seeds, 2% pumpkin seeds, 1% whole chili pepper				
GERMINATED SEEDS' MIX: 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans				
BOILED LEGUMES' MIX: 20% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 10% maran mais, 10% wheat				

# ALISTERIUS E PSITTACULA

	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
	february / march	april / may / june	july / august / september	october / november / december / january
<i>Generi Alisterius</i>				
<i>Generi Psittacula</i>				
<i>Generi Aprosmictus</i>	30% Micropills	40% Micropills	20% Micropills	50% Micropills
<i>Generi Politeis</i>	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance	CENERINI Adult Maintenance
<i>Barnardius Zonarius</i>	30% Micropills	20% Micropills	40% Micropills	40% Grain MIX
<i>Psittichas Fulgidus</i>	PARROCCHETTI Adult Maintenance	PARROCCHETTI Adult Maintenance	PARROCCHETTI Adult Maintenance	
	30% Grain MIX	30% Grain MIX	40% Grain MIX	10% Boiled legumes MIX
	10% Germinated grains MIX	10% Boiled legumes MIX		
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)

**ADVICE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)**

**GRAIN MIX:** 30% canary seeds, 15% white millet, 10% yellow millet, 7% striped sunflower seeds, 7% buckwheat, 7% hulled oats, 7% sorghum, 7% safflower, 4% hemp seeds, 4% white sunflower seeds, 1% juniper berries, 1% whole chili pepper

**GERMINATED SEEDS' MIX:** 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans

**BOILED LEGUMES' MIX:** 20% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 10% maran mais, 10% wheat

## GREY PARROTS

<i>Psittacus Erithacus</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
	february / march	april / may / june	july / august / september	october / november / december / january
	60% <b>Micropills</b> <b>CENERINI Adult Maintenance</b>	60% <b>Micropills</b> <b>CENERINI Adult Maintenance</b>	60% <b>Micropills</b> <b>CENERINI Adult Maintenance</b>	50% <b>Micropills</b> <b>CENERINI Adult Maintenance</b>
	30% Grain MIX	10% <b>Micropills</b> <b>ARA Adult Maintenance</b>	40% Grain MIX	10% <b>Micropills</b> <b>ARA Adult Maintenance</b>
	10% Germinated grains MIX	20% Grain MIX		30% Grain MIX
		10% Boiled legumes MIX		10% Boiled legumes MIX
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)

**ADVICE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)**

**GRAIN MIX:** 25% striped sunflower seeds, 20% white sunflower seeds, 20% canary seeds, 8% hulled oats, 8% buckwheat, 7% hemp seeds, 7% safflower, 2% pumpkin seeds, 1% kernel walnuts, 1% shelled peanuts, 1% whole chili pepper

**GERMINATED SEEDS' MIX:** 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans

**BOILED LEGUMES' MIX:** 20% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 10% maran mais, 10% wheat

# POICEPHALUS

<i>Generi Poicephalus</i>	BEFORE HATCHING PERIOD	REPRODUCTION SEASON	SUMMER	WINTER
<i>Generi Coracopsis</i>	february / march	april / may / june	july / august / september	october / november / december / january
	30% Micropills CENERINI Adult Maintenance	40% Micropills CENERINI Adult Maintenance	20% Micropills CENERINI Adult Maintenance	40% Micropills CENERINI Adult Maintenance
	20% Micropills AMAZZONI Adult Maintenance	10% Micropills AMAZZONI Adult Maintenance	30% Micropills AMAZZONI Adult Maintenance	50% Grain MIX
	40% Grain MIX	10% Micropills ARA Adult Maintenance	50% Grain MIX	10% Boiled legumes MIX
	10% Germinated grains MIX	30% Grain MIX		
		10% Boiled legumes MIX		
	+	+	+	+
	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables	fresh fruits and vegetables (small quantities)

**ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)**

**GRAIN MIX:** 25% canary seeds, 25% white millet, 15% striped sunflower seeds, 8% white sunflower seeds, 8% buckwheat, 6% hemp seeds, 5% safflower, 5% hulled oats, 1% kernel walnuts, 1% shelled peanuts, 1% whole chili pepper

**GERMINATED SEEDS' MIX:** 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans

**BOILED LEGUMES' MIX:** 20% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 10% maran mais, 10% wheat

COCKATOO															
<i>Genere Cacatuidae</i>	BEFORE HATCHING PERIOD			REPRODUCTION SEASON			SUMMER			WINTER					
<i>“NO” il Nymphicus Hollandicus</i>	february / march			april / may / june			july / august / september			october / november / december / january					
	30%	Micropills		50%	Micropills		20%	Micropills		40%					
		AMAZZONI Adult Maintenance			AMAZZONI Adult Maintenance			AMAZZONI Adult Maintenance		AMAZZONI Adult Maintenance					
	20%	Micropills		10%	Micropills		30%	Micropills		20%					
		PARROCCHETTI Adult Maintenance			PARROCCHETTI Adult Maintenance			PARROCCHETTI Adult Maintenance		PARROCCHETTI Adult Maintenance					
	40%	Grain MIX		30%	Grain MIX		50%	Grain MIX		40%					
	10%	Germinated grains MIX		10%	Germinated grains MIX										
	+			+			+			+					
	fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables (small quantities)					
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)															
GRAIN MIX: 25% canary seeds, 20% white millet, 15% striped sunflower seeds, 10% white sunflower seeds, 8% hulled oats, 8% buchwheat, 6% hemp seeds, 5% safflower, 1% pumpkin seeds, 1% whole chili pepper, 1% juniper berries. (it is important to integrate with pine nuts for larger cacatua)															
GERMINATED SEEDS' MIX: 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans															
NOTE: Large-size cacatuaes can be feed with Germinated Grain Mix during breeding season and winter. Better to don't feed small-size cacatuaes with Germinated Grain Mix as they usually grew up.															
PARAKEETS / BUDGIES															
<i>Genere Agapornis</i>	BEFORE HATCHING PERIOD			REPRODUCTION SEASON			SUMMER			WINTER					
<i>Psephotus</i>	february / march			april / may / june			july / august / september			october / november / december / january					
<i>Platycerus</i>	40%	Micropills		40%	Micropills		40%	Micropills		30%					
<i>Lathamus</i>		PARROCCHETTI Adult Maintenance			PARROCCHETTI Adult Maintenance			PARROCCHETTI Adult Maintenance		PARROCCHETTI Adult Maintenance					
<i>Bolborhynchus</i>	60%	Grain MIX		10%	Grain MIX		60%	Grain MIX		70%					
	+			+			+			+					
	fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables (small quantities)					
ADVISE FOR: GRAIN MIX, GERMINATED SEEDS' MIX, BOILED LEGUMES' MIX (variables depending on the species, period and condition of the subjects)															
GRAIN MIX: 30% canary seeds, 30% white millet, 10% striped sunflower seeds, 7% buchwheat, 6% hulled oats, 6% safflower, 5% hemp seeds, 5% white sunflower seeds, 1% whole chili pepper															
GERMINATED SEEDS' MIX: 20% green soya, 15% red soya, 15% chickpeas, 15% small striped sunflower seeds, 15% white sunflower seeds, 10% red beans, 10% cannellini beans															
BOILED LEGUMES' MIX: 20% cannellini beans, 15% red beans, 15% borlotti beans, 15% chickpeas, 15% peas, 10% maran mais, 10% wheat															
LORI / SUNBIRDS															
<i>Trichoglossus</i>	BEFORE HATCHING PERIOD			REPRODUCTION SEASON			SUMMER			WINTER					
<i>Eos</i>	february / march			april / may / june			july / august / september			october / november / december / january					
<i>Pseudeos</i>	100%	Micropills		100%	Micropills		100%	Micropills		100%					
<i>Lorius</i>		LORI Adult Maintenance			LORI Adult Maintenance			LORI Adult Maintenance		LORI Adult Maintenance					
<i>Chalchopsitta</i>	+			+			+			+					
<i>Charmosyna</i>	fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables			fresh fruits and vegetables (small quantities)					